

Example C.01  
UPC-A

UPC-A



UPC-A +2



UPC-A +5



UPC-E

UPC-E



UPC-E +2



UPC-E +5



UPC-E1



UPC-E1 +2



UPC-E1 +5



**Example C.03.**  
**EAN-13 and EAN-8**

EAN-13  
 (ISBN)



ISBN data: 0131103628

EAN-8



EAN-13 +2



EAN-8 +2



EAN-13 +5



EAN-8 +5



**Example C.04.**  
**Code 39 and It.Pharm.**

Code 39



CODE39

Code 39 Italian Pharmaceutical  
 (Full Italian Pharmaceutical)



908557705

encoded data: \*V2GZD9\*

Full Italian Pharmaceutical data: A908557705


Code 39 Full ASCII



Code 39

encoded data: \*C+O+D+E 39\*

Tri-Optic



R01260

encoded data: \$260R01\$

**Example C.05.**  
**Codabar**

Codabar



0 1 2 3 5

encoded data: C01235D

Codabar ABC



0 1 2 3 4

encoded data:  
C01234D



5 6 7 8 9

encoded data:  
D56789A

Codabar ABC data:  
0123456789

Codabar CX



1 2 3 4 4

encoded data:  
A12344C




5 6 7 8 4

encoded data:  
B56784B

Codabar CX data:  
1234456784

**Example C.06.**  
**2of5 and S-Code**

Industrial 2of5



1 2 3 4 5 6 7 8 9 5

Interleaved 2of5  
with bearer bars



0 1 2 3 4 5 6 7 8 4

S-Code



9 8 7 6 5 4 3 2 6

Matrix 2of5





9 8 7 6 5 4 3 0

Chinese Post





0464 100050


encoded data: 04641000501

<p><b>Example C.07.</b> IATA</p> <hr/>  <p>1234567890</p>	<p><b>Example C.08.</b> MSI/Plessey (with MOD 10 Checksum)</p> <hr/>  <p>02468 encoded data: 024687</p>
--	---



<p><b>Example C.09.</b> Telepen</p> <div data-bbox="252 656 751 719" style="border: 1px solid black; padding: 2px; text-align: center;">       Telepen numeric (Telepen ASCII)     </div>  <p>57748174857483 Telepen ASCII data: Telepen</p>	<p><b>Example C.10.</b> UK/Plessey</p> <hr/>  <p>02468 encoded data: 02468F8</p>
---	--



<p><b>Example C.11.</b> Code 128 and GS1-128</p> <div data-bbox="252 1021 751 1084" style="border: 1px solid black; padding: 2px; text-align: center;">       Code 128     </div>  <p>0135792468</p>	<div data-bbox="847 1021 1347 1084" style="border: 1px solid black; padding: 2px; text-align: center;">       EAN-128     </div>  <p>]C12143658709 encoded data: &lt;FNC1&gt;2143658709</p>
---	---

<p><b>Example C.12.</b> Code 93</p> <hr/>  <p>Code 93</p>	<p><b>Example C.13.</b> Code 11</p> <hr/>  <p>1234-5678 encoded data: 1234-56784</p>
--	--



<p><b>Example C.14.</b> Korean Postal Authority code</p> <hr/>  <p>305-601</p>
---

<p><b>Example C.15.</b> <b>Intelligent Mail Barcode</b></p> <hr/>  <p>12 001 987654 321600500 21320 0035</p>	<p><b>Example C.16.</b> <b>POSTNET</b></p> <hr/>  <p>2132035356 encoded data: 21320-3535</p>
<p><b>Example C.17.</b> <b>GS1 Databar</b></p> <div data-bbox="252 533 753 600" style="border: 1px solid black; padding: 5px; text-align: center;">GS1 Databar</div>  <p>0165473728281919 encoded data: 65473728281919</p> <div data-bbox="252 840 753 907" style="border: 1px solid black; padding: 5px; text-align: center;">GS1 Databar stacked</div>  <p>0198321456098768 encoded data: 98321456098768</p> <div data-bbox="252 1086 753 1153" style="border: 1px solid black; padding: 5px; text-align: center;">GS1 Databar truncated</div>  <p>0100012345678905 encoded data: 00012345678905</p>	<p><b>Example C.18.</b> <b>Composite Codes</b></p> <div data-bbox="842 533 1343 600" style="border: 1px solid black; padding: 5px; text-align: center;">Composite Component A</div>  <p>encoded RSS-14 data: 01234567891231 encoded CC-A data: CC-A : up to 56 characters default data: 0101234567891231CC-A : up to 56 characters</p> <div data-bbox="842 958 1343 1025" style="border: 1px solid black; padding: 5px; text-align: center;">Composite Component B</div> 
<div data-bbox="252 1361 753 1429" style="border: 1px solid black; padding: 5px; text-align: center;">GS1 Databar Limited</div>  <p>0117834783468340 encoded data: 17834783468340</p> <div data-bbox="252 1664 753 1731" style="border: 1px solid black; padding: 5px; text-align: center;">GS1 Databar Expanded</div>  <p>012345ABCDE encoded data: 012345ABCDE</p>	<p>encoded RSS-14 data: 56128923901255 encoded CC-B data: CC-B:encodes up to 338 alphanumeric characters default data: 0156128923901255CC-B:encodes up to 338 alphanumeric characters</p> <div data-bbox="849 1518 1343 1585" style="border: 1px solid black; padding: 5px; text-align: center;">Composite Component C</div>  <p>encoded EAN-128 data: &lt;FNC1&gt;503012345678 encoded CC-C data: 021301234567893724&lt;GS&gt; 101234567ABCDEFG default data: 503012345678021301234567893724&lt;GS&gt; 101234567ABCDEFG</p>

<p>Example C.19. Codablock F</p> <hr/>  <p>Codablock F sample bar code</p>	<p>Example C.20. DataMatrix (ECC200)</p> <hr/>  <p>DataMatrix sample bar code.</p>
---	---

<p>Example C.21. Aztec (Aztec)</p> <hr/>  <p>Aztec sample bar code.</p>	<p>(Aztec Runes)</p> <hr/>  <p>025 encoded data: 25</p>
--	--

<p>Example C.22. Chinese Sensible code</p> <hr/> 	<p>Example C.23. QR Code (Model 2)</p> <hr/>  <p>QR Code sample bar code.</p>
--	---

<p>Example C.24. Micro QR Code (Model 4)</p> <hr/>  <p>1415926535897</p>	<p>Example C.25. Maxicode (Mode 4)</p> <hr/>  <p>MaxiCode sample bar code.</p>
---	--

Example C.25.  
PDF417

---



PDF417 sample bar code.

Example C.26.  
MicroPDF417

---



MicroPDF417 sample bar code.